
designed by Wendy Sheppard featuring *Precious Metal* by Whistler Studios SIZE: 80-1/2" x 80-1/2"

PATTERN REQUIRES FOUNDATION PAPER PIECING TECHNIQUE



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.



FREE PROJECT



PAPER PIECING: Refer to your favorite quilting source for Foundation Paper Piecing technique. To simplify Paper Piecing, mark and arrange your cut pieces by size and fabric color.

WOF = Width of Fabric

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
A		35370S-1 Optic White	1-1/2	 (6) 2" x WOF strips; subcut (12) 2" x 18" rectangles. (6) 2-1/4" x WOF strips. Piece strips and subcut (2) 2-1/4" x 56" and (2) 2-1/4" x 59-1/2" strips. (4) 3-1/2" x WOF strips; subcut (84) 2" x 3-1/2" rectangles.
В		35370S-2 Black	1	(1) 6-1/2" x WOF strip; subcut (4) 6-1/2" and (4) 2" squares. Binding: (8) 2-1/4" x WOF strips.
С		38934M-1 Metallic Gold	1-3/4	Foundation Piecing: (2) 2-3/4" x WOF strips; subcut (56) 1-1/2" x 2-3/4" rectangles for 1, 4, 7, 10, 13, 16 and 19 patches. (2) 2" x WOF strips; subcut (8) 2" x 8-1/2" rectangles. (3) 1-1/2" x WOF strips; subcut (8) 1-1/2" x 4-1/2" and (8) 1-1/2" x 5-1/2" rectangles. (2) 2" x WOF strips; subcut (24) 2" squares. (1) 5" x WOF strip; subcut (12) 3-1/2" x 5" rectangles. (8) 3" x WOF strips. Piece strips and subcut (2) 3" x 75-1/2" and (2) 3" x 80-1/2" strips.
D		38934M-2 Metallic Silver	1-1/2	Foundation Piecing: (2) 2-3/4" x WOF strips; subcut (56) 1-1/2" x 2-3/4" rectangles for 1, 4, 7, 10, 13, 16 and 19 patches. (2) 2" x WOF strips; subcut (8) 2" x 8-1/2" rectangles. (3) 1-1/2" x WOF strips; subcut (8) 1-1/2" x 4-1/2" and (8) 1-1/2" x 5-1/2" rectangles. (7) 2-1/2" x WOF strips. Piece strips and subcut (2) 2-1/2" x 59-1/2" and (2) 2-1/2" x 63-1/2" strips. (1) 2" x WOF strips; subcut (16) 2" x 2" squares. (1) 3-1/2" x WOF strips; subcut (8) 3-1/2" x 5" rectangles.

PROJECT DISCLAIMER: Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however, no warranty can be given nor results guaranteed. Therefore, we assume no responsibility nor damages that may occur when referring to this pattern. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. We suggest you check **windhamfabrics.com** for pattern updates and to test the pattern prior to making the project. **Test templates first, before cutting all the pieces.** Free projects are not for resale.



WOF = Width of Fabric

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
E		51405M-1 Black Gold	3/4	Foundation Piecing: (1) 2-3/4" x WOF strips; subcut (28) 1-1/2" x 2-3/4" rectangles for 1, 4, 7, 10, 13, 16 and 19 patches. (1) 2-1/2" x WOF strip; subcut (8) 2-1/2" x 4-1/4" rectangles for
				23 and 24 patches. (1) 2" x WOF strips; subcut (4) 2" x 8-1/2" rectangles. (2) 1-1/2" x WOF strips; subcut (4) 1-1/2" x 4-1/2", (4) 1-1/2" x 5-1/2" and (8) 1-1/2" x 3-1/2" rectangles. (1) 2-1/2" x WOF strip; subcut (8) 2-1/2" and (9) 2" squares. (1) 3-1/2" x WOF strip; subcut (4) 3-1/2" x 5" rectangles.
F		51405M-2 White Gold	5/8	Foundation Piecing: (1) 4-1/4" x WOF strips; subcut (16) 2-1/2 x 4-1/4" rectangles for 23 and 24 patches. (1) 3-1/2" x WOF strip; subcut (16) 1-1/2" x 3-1/2" rectangles.
G		51405M-3 White Silver		(1) 2" x WOF strip; subcut (16) 2" squares. (1) 3-1/2" x WOF strip; subcut (8) 3-1/2" x 5" rectangles.
Н		51406M-1 Black Gold	3/4	Foundation Piecing: (1) 2-3/4" x WOF strip; subcut (28) 1-1/2" x 2-3/4" rectangles for 1, 4, 7, 10, 13, 16 and 19 (1) 4-1/4" x WOF strip; subcut (16) 2-1/2" x 4-1/4" rectangles for 23 and 24 patches.
				(1) 2" x WOF strip; subcut (4) 2" x 8-1/2" rectangles. (2) 1-1/2" x WOF strips; subcut (4) 1-1/2" x 4-1/2", (4) 1-1/2" x 5-1/2" and (8) 1-1/2" x 3-1/2" rectangles. (1) 2-1/2" x WOF strip; subcut (8) 2-1/2" and (9) 2" squares.
ı		51406M-2 White Gold	1/8	(1) 3-1/2" x WOF strip; subcut (4) 3-1/2" x 5" rectangles. (1) 3-1/2" x WOF strip; subcut (4) 3-1/2" x 5" rectangles and (8) 2" squares.



WOF = Width of Fabric

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
		51406M-4 Black Silver	5/8	Foundation Piecing: (1) 4-1/4" x WOF strip; subcut (16) 2-1/2" x 4-1/4" rectangles for 23 and 24 patches.
J				(1) 3-1/2" x WOF strip; subcut (16) 1-1/2" x 3-1/2" rectangles.
				(1) 2-1/2" x WOF strip; subcut (8) 2-1/2" and (2) 2" squares.
				(1) 3-1/2" x WOF strip; subcut (4) 3-1/2" x 5" rectangles and (8) 2" squares.
			3/4	Foundation Piecing: (1) 2-3/4" x WOF strip; subcut (28) 1-1/2" x 2-3/4" rectangles for 1, 4, 7, 10, 13, 16 and 19 patches.
	S TOP &			(1) 2" x WOF strip; subcut (4) 2" x 8-1/2" rectangles.
K		51407M-1 Black Gold		(1) 1-1/2" x WOF strip; subcut (4) 1-1/2" x 4-1/2" and (4) 1-1/2" x 5-1/2" rectangles.
				(1) 2-1/2" x WOF strip; subcut (4) 2-1/2" squares.
				(1) 2" x WOF strip; subcut (16) 2" squares.
				(1) 3-1/2" x WOF strip; subcut (8) 3-1/2" x 5" rectangles.
		51407M-2 White Gold	3/8	Foundation Piecing: (1) 2-1/2" x WOF strip; subcut (8) 2-1/2" x 4-1/4" rectangles for 23 and 24 patches.
L				(1) 1-1/2" x WOF strips; subcut (8) 1-1/2" x 3-1/2" rectangles.
	7			(1) 3-1/2" x WOF strips; subcut (4) 3-1/2" x 5" rectangles and (8) 2" squares.
		51407M-3 White Silver	1/4	(1) 2" x WOF strips; subcut (16) 2" squares.
M				(1) 3-1/2" x WOF strips; subcut (8) 3-1/2" x 5" rectangles.
N		51408M-1 Black Gold	1	Foundation Piecing: (2) 2-3/4" x WOF strip; subcut (56) 1-1/2" x 2-3/4" rectangles for 1, 4, 7, 10, 13, 16 and 19 patches. (2) 2" x WOF strips; subcut (8) 2" x 8-1/2" rectangles.
				(2) 1-1/2" x WOF strips; subcut (8) 1-1/2" x 4-1/2" and (8) 1-1/2" x 5-1/2" rectangles.
				(1) 2-1/2" x WOF strip; subcut (8) 2-1/2" squares.
				(1) 2" x WOF strips; subcut (16) 2" squares.
				(1) 3-1/2" x WOF strip; subcut (8) 3-1/2" x 5" rectangles.



WOF = Width of Fabric

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
				Foundation Piecing: (14) 2" x WOF strips; subcut (432) 1-1/4" 2" rectangles for 2, 3, 5, 6, 8, 9, 11, 12, 14, 15, 17 and 18 patches. (2) 3" x WOF strps; subcut (36) 2" x 3" rectangles for
0		51408M-2 White Gold	3-1/8	20 patch. (15) 2-1/2" x WOF strips; subcut (72) 2-1/2" x 8" rectangles for 21 and 22 patches.
				(17) 1-1/2" x WOF strips; subcut (36) 1-1/2" x 7-1/2" and (36) 1-1/2" x 8-1/2" rectangles.
	۷ (۱)			(1) 2" x WOF strip; subcut (5) 2" squares.
Р		51408M-4 Black Silver	1/4	(1) 3-1/2" x WOF strips; subcut (4) 3-1/2" x 5" rectangles and (8) 2" x 2" squares.
		Backing	2-5/8	108" wide fabric
				Batting: 88-1/2" x 88-1/2"



BLOCK QUADRANT

- Using your preferred foundation piecing method, make (4) Block Quadrant Centers using fabrics N/O/G. N: 1, 4, 7, 10, 13, 16, 19 O (2, 3, 5, 6, 8, 9, 11, 12, 14, 15, 17, 18, 20, 21 and 22) and G (23, 24). Square to 6-1/2". Remove paper.
- **2.** Arrange (1) **G** 1-1/2" x 3-1/2" and (1) **N** 1-1/2" x 4 1/2" rectangles, right sides together, making an "L" shape. Draw a diagonal line, corner to corner of the "L" and sew on the diagonal. Trim 1/4" seam allowance and press open. Add this to the top of the Block Quadrant Center.
- **3.** Repeat Step 2 using (1) **G** 1-1/2" x 3-1/2" and (1) **N** 1-1/2" x 5-1/2" rectangles, and add to the left of Block Quadrant Center.
- **4.** Add (1) **O** 1-1/2" x 7-1/2" rectangle to the right of **Block Quadrant Center**, and (1) **O** 1-1/2" x 8-1/2" rectangle to the bottom.
- **5.** Draw a diagonal line on the wrong side of (1) **N** 2-1/2" square. Place square, right sides together, at bottom right corner of **Block Quadrant Center**. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal **N** corner triangle to complete one **Block Quadrant**. Square to 8-1/2". Make (4).






Make (8)

Step 2




Sew on line. Trim off 1/4" and press open to reveal **G**.




Step 3



Step 4



Step 5



Wrong side (N)



Sew on drawn line. Trim off excess and open to reveal **N**.




Make (4) Square to 8-1/2"



- **6.** Sew (2) Block Quadrants (note rotation) to the opposite long sides of (1) **N** 2" x 8-1/2" rectangle to make Row 1. Make (2) rows.
- 7. Sew (2) N 2" x 8-1/2" rectangles to the opposite sides of (1) O 2"square to make Row 2.
- **8.** Sew Row 1, Row 2 and Row 1 (rotated) together, as shown, to complete (1) Pieced Block. Square to 18". Make (2) **N/O/G** blocks.
- **9.** Repeat Steps 1-8 to complete the remaining pieced Block Quadrants:

(1) C/O/E • (1) C/O/H • (1) E/O/F • (1) H/O/F • (1) K/O/L • (2) D/O/J






Step 7



Make (2)


Step 8



Make (2) **N/O/G** Square to 18"



Step 9






QUILT CENTER ASSEMBLY

Referring to Quilt Image:


- **10.** Arrange and sew together (3) Pieced Blocks and (2) A 2" x 18" rectangles to make Block Row 1 as shown below. Make Block Row 2 and 3 in the same way.
- 11. Arrange and sew together (3) A 2" x 18" rectangles and (2) B 2" squares. Make (2) Sashing Rows.
- 12. Sew together Block Rows and Sashing Rows to complete Quilt Center.





BORDERS

- 13. Inner Border 1: Sew (2) A 2-1/4" x 56" strips to the sides of Quilt Center, followed by (2) A 2-1/4" x 59-1/2" strips to the top and bottom.
- **14.** Inner Border 2: Sew (2) **D** 2-1/2" x 59-1/2" strips to the sides of Quilt Center, followed by (2) **D** 2-1/2" x 63-1/2" strips to the top and bottom.






15. Inner Border 3:

- a. Flying Geese Unit: Draw a diagonal line on the wrong side of (2) N 2" squares. Place an N square, right sides together, at a corner of (1) A 2" x 3-1/2" rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal N. Repeat for the opposite corner.
- **b.** Add (1) **N** 3-1/2" x 5" rectangle to the bottom of Flying Geese Unit to complete (1) Border Unit.
- **c.** Make the indicated number of **Border Units** using the following fabrics:

(12) C (8) D, F, G, K, M, N (4) E, H, I, J, L, P

d. Arrange and sew together (21) **Border Units** to make (2) identical borders rows. Sew (2) rows to the sides of **Quilt Center**. Add (2) **B** 6-1/2" squares to both ends of the remaining rows, and then sew to **Quilt Center**.






Make (4) rows Measures 6-1/2" x 63-1/2"



Add (2) **B** 6-1/2" squares to (2) rows. Measures 6-1/2" x 75-1/2"



16. Outer Border: Sew (2) 3" x 76" **C** strips to the opposite sides of Quilt Center, followed by (2) 3" x 81" **C** strips to the top/bottom sides of Quilt Center to complete quilt top.



Quilt Assembly

FINISHING: Layer quilt top, batting and backing together to form quilt sandwich. Baste and quilt as desired. Bind using **B** 2-1/4" strips.




BLOCK QUADRANT TEMPLATE for Foundation Paper Piecing

Print (36) Templates at 100% scale.

Template should measure 6-1/2" square from outer line to outer line.

Refer to your favorite quilting source for foundation paper piecing



Test template first, before making all the blocks