



MATERIALS

Caron® Simply Soft® (6 oz/170.1 g; 315 yds/288 m)

Sizes	XS/S	M	L	XL	2/3XL	4/5XL	
Taupe (39783)	5	6	7	8	9	10	balls

Size U.S. H/8 (5 mm) crochet hook **or size needed to obtain gauge.**
Stitch markers.

ABBREVIATIONS:

Approx = Approximate(ly)

Beg = Begin(ning)

Ch = Chain(s)

Cont = Continue(ity)

Dc = Double crochet

Hdc = Half double crochet

Hdc2tog = Yoh and draw up a loop in each of next 2 stitches.

Yoh and draw through all loops on hook

Pat = Pattern

Rem = Remain(ing)

Rep = Repeat

Rnd = Round

RS = Right side

Sc = Single crochet

Sctbl = Single crochet through back loop

Sl st = Slip stitch

St(s) = Stitch(es)

Yoh = Yarn over hook

WS = Wrong side



CROCHET | SKILL LEVEL: EASY

SIZES

To fit bust measurement

XS/S 28-34" [71-86.5 cm]

M 36-38" [91.5-96.5 cm]

L 40-42" [101.5-106.5 cm]

XL 44-46" [112-117 cm]

2/3XL 48-54" [122-137 cm]

4/5XL 56-62" [142-157.5 cm]

Finished bust

XS/S 41" [104 cm]

M 45" [114.5 cm]

L 48" [122 cm]

XL 52" [132 cm]

2/3XL 58" [147.5 cm]

4/5XL 64" [162.6 cm]

GAUGE

13 sts and 12 rows = 4" [10 cm] in Body Pat.

INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger size(s) the instructions will be written thus (). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

Note: Ch 2 at beg of row **does not** count as st.

BACK

****Ribbing:** Ch 12.

1st row: (RS). 1 sc in 2nd ch from hook. 1 sc in each ch to end of chain. Turn. 11 sc.

2nd row: Ch 1. 1 sc in each sc to end of row. Turn.

Rep last row until Ribbing measures **20 (22-23½-25½-28½-31½)" [51 (56-59.5-65-72.5-80) cm]**, when slightly stretched, ending on a WS row.

Next row: (RS). Ch 1. Work **67 (73-79-85-95-103)** sc evenly across long edge of Ribbing. Turn. Place marker at end of last row.

Proceed in pat as follows

1st row: (WS). Ch 1. Sl st in first st. *1 dc in next st. Sl st in next st. Rep from * to end of row. Turn.

2nd row: Ch 2. 1 hdc in each st to end of row. Turn.

Rep last 2 rows for Body Pat until work from marked row measures **14½ (14½-15-15-15)" [37 (37-38-38-38) cm]**, ending on a WS row.

Shape armholes: Next row: Sl st in each of first **4 (4-4-6-6-8)** sts. Ch 2. 1 hdc in each st to last **4 (4-4-6-6-8)** sts. **Turn.** Leave rem sts unworked.**

Cont even in Body Pat on rem **59 (65-71-73-83-87)** sts until armhole measures **7½ (8-8-8½-8½-9)" [19 (20.5-20.5-21.5-21.5-23) cm]**, ending on a WS row.

Shape neck: Next row: (RS). Ch 2. 1 hdc in each of next **15 (18-20-21-26-28)** sts. Hdc2tog. **Turn.** Leave rem sts unworked.

Next row: Ch 2. Hdc2tog. Pat to end of row. Turn. **15 (18-20-21-26-28)** sts.

Next row: Ch 2. 1 hdc in each hdc to end of row. Fasten off.

With RS facing, skip next **25 (25-27-27-27-27)** sts. Join yarn with sl st to next st. Ch 2. Hdc2tog over same st as last sl st and next st. 1 hdc in each st to end of row. Turn.

Next row: Pat to last 2 sts. Hdc2tog. Turn. **15 (18-20-21-26-28)** sts.

Next row: Ch 2. 1 hdc in each hdc to end of row. Fasten off.

FRONT

Work from ** to ** as given for Back.

Cont even in Body Pat until armhole measures **5½ (6-6-6½-6½-7)" [14 (15-15-16.5-16.5-18) cm]**, ending on a WS row.

Shape neck: 1st row: (RS). Ch 2. 1 hdc in each of next **19 (22-24-25-30-32)** sts. Hdc2tog. **Turn.** Leave rem sts unworked.

2nd row: Ch 2. Hdc2tog. Pat to end of row. Turn.

3rd row: Ch 2. 1 hdc in each hdc to last 2 sts. Hdc2tog. Turn. Rep last 2 rows once more, then 2nd row once. **15 (18-20-21-26-28)** sts.

Cont even in Body Pat until armhole measures same length as Back to shoulder, ending on a RS row. Fasten off.

With RS facing, skip next **17 (17-19-19-19-19)** sts. Join yarn with sl st to next st. Ch 2. Hdc2tog over same st as last sl st and next st. 1 hdc in each st to end of row. Turn.

1st row: Pat to last 2 sts. Hdc2tog. Turn.

2nd row: Ch 2. Hdc2tog. 1 hdc in each hdc to end of row. Turn.

Rep last 2 rows once more, then 1st row once. **15 (18-20-21-26-28)** sts.

Cont even in Body Pat until armhole measures same length as Back to shoulder, ending on a RS row. Fasten off.

SLEEVES

Ribbing: Ch 9.

1st row: (RS). 1 sc in 2nd ch from hook. 1 sc in each ch to end of chain. Turn. 8 sc.

2nd row: Ch 1. 1 sc in each sc to end of row. Turn.

Rep last row until Ribbing measures approx **10 (10½-10½-11-11-11½)" [25.5 (26.5-26.5-28-28-29) cm]**, when slightly stretched, ending on a WS row.

Next row: (RS). Ch 1. Work **37 (39-39-41-41-43)** sc evenly across long edge of Ribbing. Turn. Place marker at end of last row.

Proceed in pat as follows

1st row: (WS). Ch 1. Sl st in first st. *1 dc in next st. Sl st in next st. Rep from * to end of row. Turn.

2nd row: Ch 2. 1 hdc in each st to end of row. Turn.

Rep last 2 rows for Body Pat for 3 more rows.

Shape sides: 1st row: (RS). Ch 2. 2 hdc in first st. 1 hdc in each st to last st. 2 hdc in last st. Turn.

2nd row: Ch 2. 1 dc in first st. Sl st in next st. *1 dc in next st. Sl st in next st. Rep from * to last st. 1 hdc in last st. Turn.

3rd row: Ch 2. 1 hdc in each st to end of row. Turn.

4th row: As 2nd row.

5th row: As 1st row.

6th row: Ch 1. Sl st in first st. *1 dc in next st. Sl st in next st. Rep from * to end of row. Turn.

7th row: As 3rd row.

8th row: As 6th row.

Rep last 8 rows 4 times more. **57 (59-59-61-61-63)** sts.

Cont even in Body Pat until work from marked row measures 17" [43 cm], ending on a WS row. Place markers at each end of last row.

Work a further **3 (3-3-5-5-7)** rows even in pat. Fasten off.

FINISHING

Sew shoulder seams.

Neckband: Ch 6.

1st row: (RS). 1 sc in 2nd ch from hook. 1 sc in each ch to end of chain. Turn. 5 sc.

2nd row: Ch 1. 1 sctbl in each sc to end of row. Turn.

Rep last row until Neckband measures length to fit around neck edge, when slightly stretched, ending on a WS row. Fasten off. Sew neckband seam.

Place neckband seam at left shoulder seam and sew long edge of Neckband to neck edge, stretching neckband slightly to fit.

Sew in sleeves, placing rows above markers along unworked sts of Body to form square armholes. Sew side and sleeve seams.

